A	В		D   E	F G	H H		J K
			umber Vendor Name	Promised Ship Date PO Descr Line 1	PO Descr Line 2	PO Descr Line 3	PO Ordered Amt Req Number
IOUMIEL, JAMES R, JR			640A TELEDYNE BROWN ENGINEERING	11/30/2011 CANISTERS PER SPECIFICATION M-SPP-S-00067,	REV.2., SECTION 1.1, 2.3, & 3.0, INCLUDING	SLEEVES (AS AN INTEGRAL PART OF CANISTERS)	7,917,888.00 9K3276
			528N FRONTIER GEOSCIENCES, INC.	11/30/2008 TASK 1 - PERFORM SAMPLE ANALYSIS OF TANK FARM	VAPOR AND LIQUID SAMPLES PER SOW 0J8306, REV	2, DTD 2/25/2005. THIS WORK WILL BE CHARGED	68,918.00 0J8306
			723S GARY W. STANLEY	10/31/2008 PROVIDE CONSULTING SERVICES FOR THE MOX	REVIEW IN ACCORDANCE WITH THE ATTACHED	STATEMENT OF WORK PR# 7L7740, REV. 3 NOTE:	96,400.00 7L7740
-,-			803M SCALE SYSTEMS, INC.	9/30/2009 VENDOR TO PROVIDE ON-SITE REPAIRS AS	NECESSARY, AND CALIBRATE SCALES ACCORDING TO	THE ATTACHED SPECIFICATION J-SPP-G-00153,	11,500.00 1L0701
			373M O.I. CORPORATION	8/23/2008 PROVIDE FULL SERVICE/MAINTENANCE CONTRACT TO	PROVIDE PREVENTATIVE MAINTENANCE AND	EMERGENCY REPAIR SERVICES IN ACCORDANCE WITH	25,000.00 9M1682
			992N SIMCO TECHNOLOGIES INC	6/27/2009 THE SUBCONTRACTOR SHALL PROVIDE SERVICES FOR	SALTSTONE VAULT SULFATE ATTACK AND DURABILITY	IN ACCORDANCE WITH THE ATTACHED STATEMENT OF	95,000.00 1Q3403
			432S PORTAGE INC	9/30/2008 PROVIDE HIGH LEVEL WASTE TANK CLOSURE	TECHNICAL AND CONSULTING SUPPORT ASSOCIATED	WITH DEVELOPING THE PORFLOW MODEL FOR	60,732.00 4N6315
			636A LAFARGE BUILDING MATERIALS	8/30/2009 SUPPLIER SHALL PROVIDE PROPORTIONING AND TEST	ING OF CONCRETE, MORTAR, AND GROUT MIXES (1-T	YPE V OR 1157HS AND 2- TYPE II) FOR THE VAULT	109,387.00 0M5783
			824M R BROOKS ASSOCIATES, INC	4/30/2008 205-0018, SHIELD PLATE SUB ASSEMBY AND	RECEIVER BOX MODIFIED AS PER DISCUSSIONS ON	1/22/07. MACHINE MODIFICATIONS TO THE SHIELD	52,170.00 9N2305
			796N EDVENTURES IN LEARNING INC	12/31/2008 NON - MANUAL, SOLE SOURCE 1	SUBCONTRACTOR SHALL PROVIDE ALL LABOR,	MATERIAL, EQUIPMENT AND COURSE MATERIAL TO	125,000.00 7P5810
			THOR TREATMENT TECHNOLOGIES,	7/31/2008 ESTABLISH AN IWR WITH THOR TREATMENT	TECHNOLOGIES TO PROVIDE FOR THE	DEMONSTRATION OF THE STEAM REFORMER PROCESS	1,986,587.00 8M9130
MINIARD, THOMAS A			571T INTERGRAPH CORPORATION	9/30/2008 INTERGRAPH PROCESS & BUILDING SOLUTIONS FOR	SITEWIDE HARDWARE AND SOFTWARE MAINTENANCE	SERVICES, PER ATTACHED STATEMENT OF WORK	176,855.00 1N7931
IOUMIEL, JAMES R, JR			102A SULZER PUMPS (US), INC.	12/31/2008 PROCURE HIGH FLOW MIXING PUMPS IN ACCORDANCE	WITH SPECIFICATION NO. M-SPP-H-00459.	- PENGONE POOLINENTATION BURGUANT TO OBEO	2,528,446.00 0M7620
OUMIEL, JAMES R, JR			106A RHI MONOFRAX LTD	3/31/2010 FABRICATE K3 REFRACTORY IN ACCORDANCE WITH	THE ATTACHED SPECIFICATION # M-SPP-S-00033,	REVISION 5. DOCUMENTATION PURSUANT TO SPEC.	1,143,990.50 7N4329
IOUMIEL, JAMES R, JR			107A WRIGHT INDUSTRIES, INC.	5/8/2008 FABRICATE POUR SPOUT BELLOWS ASSEMBLY IN	ACCORDANCE WITH THE ATTACHED WSRC	SPECIFICATION NUMBER M-512, REVISION 2 AND	512,897.00 0P6709
IINIARD, THOMAS A			571S NEPTUNE AND COMPANY, INC.	12/30/2008 PROVIDE TECHNICAL ASSISTANCE TO SUPPORT WSRC	IN THE USE OF THE GOLDSIM COMPUTER PROGRAM	IN ACCORDANCE WITH STATEMENT OF WORK 6P1569,	74,160.00 6P1569
			533T TMR ASSOCIATES, LLC.	9/30/2008 SUBCONTRACTOR SHALL PROVIDE ALL MATERIALS,	EQUIPMENT, MANPOWER AND SUPERVISION FOR THE	DESIGN, FABRICATION, DEMONSTRATION,	3,733,690.00 1P2540
			INTERGRAPH CORPORATION	9/30/2008 SMARTPLANT FOUNDATION (SPF) EXTENDED SOFTWARE	SUPPORT CONSULTING SERVICES FOR JULY, AUGUST,	SEPTEMBER OF 2007 AT \$3,279.75 PER MONTH PLUS	65,154.75 2P0355
IINIARD, THOMAS A		NE AC5		12/31/2008 PROVIDE FOR A DEMONSTRATION OF THE	APPLICATION OF NUCLEAR POWER PLANT (NPP)	DILUTE DECONTAMINATION TECHNOLOGIES (DDT) OR	555,005.00 0P2257
			549T INTERGRAPH CORPORATION	9/30/2008 PROVIDE INTERGRAPH HARDWARE & SOFTWARE	MAINTENANCE SERVICES IN ACCORDANCE WITH	SOW 5P1503, REV. 1.	167,136.00 5P1503
OFTIS, JAMES G			917M H2SCAN INC	7/31/2008 RMA 804-12- NON-WARRANTY REPAIR OF H2	SCANNER. HY-OPTIMA H2 SCAN, MODEL # 700,	SERIAL #70088 IT IS BEING RETURNED TO THE	5,000.00 3Q3065
HOUMIEL, JAMES R, JR			280A WRIGHT INDUSTRIES, INC.	12/24/2009 RISER POUR SPOUT HEATER ASSEMBLY; EQUIPMENT	NUMBER: S350-485-018-00; AND INCLUDING THE	FOLLOWING: RISER POUR SPOUT HEATER ISOLATORS	713,990.00 1P3407
			456N OLYMPUS INDUSTRIAL AMERICA	7/31/2008 REPAIR OLYMPUS I-PLEX VIDEO PROBE,	CAMERA ELI #412108, MODEL # IPLEX 7696,	SERIAL # Y613105, AND RETURN TO ORIGINAL	12,915.00 5P6055
-01 110, 07 1111-20 0			459N EXCEL APPARATUS SERVICES, INC.	6/30/2008 REPAIR OF RELIANCE ELECTRIC VSD MODULE	GV3000/SE, SERIAL NO. 8271460005-GB-010,	135.4KVA, 125HP, 125V4060	3,999.00 8P4509
- /			979H HARRELL INDUSTRIES INC	9/30/2008 RESIN * GENERAL *	5 GALLON PLASTIC BUCKET / JUGS *	MONOSODIUM TITANATE OPTIMIZED 15%-17%	128,700.00 5N4178
HOUMIEL, JAMES R, JR			074A WEIR HAZLETON INC	9/1/2009 PUMP W/ MOTOR, PRECIPITATE REACTOR FEED TANK	(PRFT) IN ACCORDANCE WITH SPEC.	M-SPP-S-00097, REV. 0. WSRC WILL PROVIDE	300,000.00 5P8269
			140S MCNEIL, JAMES (JIM)	12/30/2008 SUBCONTRACTOR TO PROVIDE NON-MANUAL TECHNICAL	SUPPORT SERVICES ON PROGRAMMATIC TANK CLOSURE	AND SALTSTONE ACTIVITIES IN ACCORDANCE WITH	73,350.00 7P1120
viii ti) ti tD, TTTONII tO 7 t			489S PORTAGE INC	3/31/2009 PROCURE THE SERVICES OF A SUBCONTRACTOR TO	PROVIDE MODELING TECHNICAL SUPPORT TO WSRC	FOR THE PERFORMANCE ASSESSMENT FOR F AND H	1,297,880.00 8P6398
MINIARD, THOMAS A			508V CH2M-WG IDAHO, LLC	5/23/2008 ESTABLISH A MEMORANDUM PURCHASE ORDER WITH	IDAHO NATIONAL LABORATORY FOR THE SERVICES	OF JAMES FRENCH AND WILLIAM KERLEY TO	26,000.00 3Q9463
MINIARD, THOMAS A			509V LOS ALAMOS NATIONAL LAB.	5/23/2008 ESTABLISH A MEMORANDUM PURCHASE ORDER WITH	LOS ALAMOS NATIONAL LABORATORY FOR THE	SERVICES OF GIL DREXEL TO PARTICIPATE AS A	14,886.00 3Q9264
HOUMIEL, JAMES R, JR			032A MAJOR TOOL & MACHINE INC	7/2/2009 PROVIDE DRAIN VALVE ASSEMBLY IN ACCORDANCE	WITH SPECIFICATION #M-510 REV. 4,	(SPECIFICATION FOR MELTER DRAIN VALVE	124,000.00 0P6707
,			145A AUTOMATION TECHNOLOGY, INC.	7/10/2008 MECHANICAL SUPPORT AND CROSSOVER PIPE	ASSEMBLY, 12 INCH , HOT DIPPED GALVANIZED	STEEL ASSEMBLY, COAL TAR EPOXY COATED, FOR	29,925.00 4Q1486
			386A POWER QUALITY SOLUTIONS LLC	7/31/2008 SERIES 800 P1-POWER PURIFIER-5DMZX-10K-8P1,	10 KVA / 60 HZ, 208/240 INPUT 120/208/240V	OUTPUT POWER CONDITIONER	5,181.00 5Q5550
			652T SHIPP, B.D. AND ASSOCIATES INC	7/7/2008 SERVICE; PROVIDE TECHNICAL SERVICE	PROFESSIONAL (NON-MANUAL) TO PERFORM	AND MEET THE REQUIREMENTS WITHIN THE	192,324.00 9P7348
			770M OSI SOFTWARE, INC,	1/14/2009 SOFTWARE RELIANCE PROGRAM RENEWAL FOR PI	SOFTWARE (SEE ATTACHED OSI REFERENCE #	4100006784-1, DATED 12 FEBRUARY 2008).	92,505.75 0Q8546
viii vii (i CD, TTTOIVII (O / C			304N DIONEX CORPORATION	7/15/2008 THIS IS A ZERO DOLLAR SERVICE TO PROVIDE A	REPRESENTATIVE TO SERVICE THE ICS-3000 ION	CHROMATOGRAPHY SYSTEM IN ACCORDANCE WITH SOW	0 3Q3894
,			307N PINSON VALLEY HEAT TREATING	7/31/2008 VENDOR SERVICES TO PERFORM HEAT TREATMENT OF	LIFTING YOKE FOR THE MELTER STORAGE BOX LID	IN ACCORDANCE WITH STATEMENT OF WORK NO.	1,550.00 2Q2944
, , , , , , , , , , , , , , , , , , ,			DELTA COMPONENTS	10/6/2008 LEMO-USA:PKG.4K.304.CLLK18H * CONNECTOR *	* FIXED RECEPTACLE, NUT FIXING, CABLE COLLET,	1 KEY, (ALPHA=0, PLUG: MALE CONTACTS,	3,016.12 4Q0271
HOUMIEL, JAMES R, JR			523A HEAT EXCHANGE AND TRANSFER IN	· · · · · · · · · · · · · · · · · · ·	RATED 10KW ON 480V, 3 PHASE,	3" 150# STAINLESS STEEL FLANGE,	9,654.00 9P0045
			7997T GSE POWER SYSTEMS, INC.	6/2/2007 TASK ORDER AGREEMENT NO. 1/SOFTWARE	MAINTENANCE SERVICES TO CORRECT A VARIETY	OF SIMULATOR PROBLEMS IN ACCORDANCE WITH	49,928.00 5L2829
			449H UNIVAR, USA	6/8/2007 CHEMICAL; DILUTE NITRIC ACID; (SCRUB	SOLUTION) CONCENTRATION - 0.05 M (ACCEPTABLE	RANGE 0.045 - 0.055 M) VOLUME NEEDED -	2,422.70
			473H UNIVAR, USA	4/7/2008 CHEMICAL; DILUTE NITRIC ACID; (STRIP	SOLUTION) CONCENTRATION - 0.001 (ACCEPTABLE	RANGE 0.0009 - 0.002 M)	3,184.40
- /			082H BEKESON GLASS, LLC	8/14/2008 FRIT PURSUANT TO SPECIFICATION	X-SPP-S-00018, REV. 7. DOCUMENTATION	PURSUANT TO SPEC. X-SPP-S-00018.	135,525.00
			195H FERRO CORPORATION	9/4/2008 FRIT PURSUANT TO SPECIFICATION	X-SPP-S-00018, REV. 7. DOCUMENTATION  SOLUTION) CONCENTRATION - 0.05 M (ACCEPTABLE	PURSUANT TO SPEC. X-SPP-S-00018.	146,800.00
			2534H UNIVAR, USA 2586H TAYLOR CHEMICAL COMPANY / DBA	5/25/2007 CHEMICAL; DILUTE NITRIC ACID; (SCRUB		RANGE 0.045 - 0.055 M) VOLUME NEEDED - MATERIAL ID 33655-1-1	1,395.00
·				6/30/2008 ANTIFOAM 747 IN 5-GALLON PAILS W/POUR SPOUTS	(FOR EASE OF POURING & NON-SPILLAGE)		31,257.60
			2596H UNIVAR, USA	7/3/2008 CHEMICAL; DILUTE SODIUM HYDROXIDE; (CAUSTIC	WASH SOLUTION), IN ACCORDANCE WITH	ATTACHMENT 'A', REV. 4 DATED 05/01/2008	696.6
			2780H BEKESON GLASS, LLC	7/15/2008 FRIT PURSUANT TO SPECIFICATION 7/25/2008 CHEMICAL: DILUTE SODIUM HYDROXIDE: (CAUSTIC	X-SPP-S-00018, REV. 8. DOCUMENTATION	PURSUANT TO SPEC. X-SPP-S-00018.	139,000.00
			3097H UNIVAR, USA		WASH SOLUTION), IN ACCORDANCE WITH	ATTACHMENT 'A', REV. 4 DATED 05/01/2008	696.6
			5571H BEKESON GLASS, LLC 5534H UNIVAR, USA	6/15/2008 FRIT PURSUANT TO SPECIFICATION	X-SPP-S-00018, REV. 7. DOCUMENTATION	PURSUANT TO SPEC. X-SPP-S-00018.	139,000.00
'		-	,	6/30/2008 CHEMICAL; DILUTE NITRIC ACID; (SCRUB	SOLUTION) CONCENTRATION - 0.05 M	(ACCEPTABLE RANGE 0.045 - 0.055 M)	1,933.60
, =			618H SEFA GROUP, THE	5/15/2008 FLYASH PER ATTACHMENT 1, REV. 1	TECHNICAL REQUIREMENTS FOR FLYASH	CCMC MATERIAL ID NUMBER 37526-1-1	38,652.48
			630H FERRO CORPORATION	6/30/2008 FRIT PURSUANT TO SPECIFICATION	X-SPP-S-00018, REV. 8. DOCUMENTATION	PURSUANT TO SPEC. X-SPP-S-00018.	143,130.00
			875T GSE POWER SYSTEMS, INC.	9/28/2008 ESTABLISH A TASK ORDER FOR THE DWPF MELTER	SIMULATOR IN ACCORDANCE WITH THE ATTACHED	STATEMENT OF WORK, B-SOW-S-00008, REV 1.	543,685.00 9P7259
VANS, ABBEY H			933H FERRO CORPORATION	9/30/2008 FRIT PURSUANT TO SPECIFICATION	X-SPP-S-00018, REV. 7. DOCUMENTATION	PURSUANT TO SPEC. X-SPP-S-00018.	73,400.00
- /			815H FERRO CORPORATION	9/30/2008 FRIT PURSUANT TO SPECIFICATION	X-SPP-S-00018, REV. 7. DOCUMENTATION	PURSUANT TO SPEC. X-SPP-S-00018.	73,400.00
			446T GSE POWER SYSTEMS, INC.	9/28/2008 ESTABLISH A TASK ORDER FOR THE DWPF 221-S	VENTILATION SYSTEM SIMULATOR IN ACCORDANCE	WITH THE ATTACHED STATEMENT OF WORK,	238,220.00 9P7251
			614H UNIVAR, USA	4/20/2008 CHEMICAL; DILUTE SODIUM HYDROXIDE; (CAUSTIC	WASH SOLUTION), IN ACCORDANCE WITH	ATTACHMENT 'A', REV. 3 DATED 12/3/07	549.4
- 7			917H UNIVAR, USA	7/9/2008 CHEMICAL; DILUTE NITRIC ACID; (SCRUB	SOLUTION) CONCENTRATION - 0.05 M	(ACCEPTABLE RANGE 0.045 - 0.055 M)	3,761.10
SMITH, LINDA W	W V	NS KP52	401H HOLCIM (US), INC.	6/30/2008 SLAG PER ATTACHMENT 1, REV. 2 TECHNICAL	REQUIREMENTS FOR SLAG, DTD APRIL 11, 2007	<del>-</del>	135,388.11